

Anti-MAPKAPK2 (Phospho-Ser272) Polyclonal Antibody



<u>Catalog No.</u>	<u>Size</u>
A100351-01	50 µl
A100351-02	100 µl

Specificity	Anti- MAPKAPK2 (Phospho-Ser272) (human mouse rat)
Source	Rabbit Polyclonal
Application	WB ELISA IHC
Form	Liquid, 1 mg/ml

Product

Swiss-Prot No.: P49137

Other Names: ADRB2; alpha-PAK; CDC42/RAC effector kinase PAK-A; EC 2.7.11.1; kinase PAK1; p21-activated kinase 1; P65-PAK; P68-PAK; PAK 1; PAK-1; PAKA; protein kinase MUK2

Specificity and Sensitivity

MAPKAPK2 (Phospho-Ser272) antibody detects endogenous levels of MAPKAPK2 only when phosphorylated at serine 272.

Source and Purification

The antiserum was produced against synthesized phosphopeptide derived from human MAPKAPK2 around the phosphorylation site of serine 272 (A-I-S^P-P-G).

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Application Notes

Optimal working dilutions should be determined experimentally by the investigator. Suggested starting dilutions are as follows:

WB: 1:500~1:3000 IHC: 1:50~1:100 ELISA: 1:1000


Storage Buffer

Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.


Storage Instructions

Stable for 1 year at -20°C from date of shipment. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap. Aliquot to avoid repeated freezing and thawing. Aliquot will be stable at 4°C for 3 months.

Images



P-peptide - +
Immunohistochemistry analysis of paraffin-embedded human brain tissue using MAPKAPK2 (Phospho-Ser272) antibody.



Western blot analysis of extracts from RAW264.7 cells, treated with UV (15mins), using MAPKAPK2 (Phospho-Ser272) antibody.