

# Anti- Phospho-NF- kappaB p65 (Ser536) Polyclonal Antibody



<u>Catalog No.</u>	<u>Size</u>
A100514-01	50 µl
A100514-02	100 µl

<b>Specificity</b>	Anti- Phospho-NF- kappaB p65 (Ser536) (human mouse rat)
<b>Source</b>	Rabbit Polyclonal
<b>Application</b>	WB IHC IP
<b>Form</b>	Liquid, 1 mg/ml

## Product

**Swiss-Prot No.:** Q04206

**Other Names:** NFKB3, Nuclear factor NF-kappa-B p65 subunit, RELA, TF65, Transcription factor p65, p65

## Specificity and Sensitivity

Phospho-NF- kappaB p65 (Ser536) Antibody detects endogenous levels of NF- kappaB p65 only when phosphorylated at Serine 536.

## Source and Purification

A synthesized peptide derived from human NFkappaB p65 around the phosphorylation site of Serine 536.

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

## Application Notes

Optimal working dilutions should be determined experimentally by the investigator. Suggested starting dilutions are as follows:

WB: 1:500~1:3000    IHC: 1:50~1:200    IP 1:200


## Storage Buffer

Rabbit IgG in phosphate buffered saline (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

## Storage Instructions

Stable for 1 year at -20°C from date of shipment. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap. Aliquot to avoid repeated freezing and thawing. Aliquot will be stable at 4°C for 3 months.

## Images



Western blot analysis of NF- kappaB p65 phosphorylation expression in IL-1 treated Raw264.7 whole cell lysates, The lane on the left is treated with the antigen-specific peptide.

## Related Products

PW001: Super ECL Assay kit

E030120 : HRP, Goat Anti-Rabbit IgG(H+L)

E030220 : AP, Goat Anti-Rabbit IgG(H+L)

E021010: Anti-GAPDH Mouse Monoclonal Antibody

E021020: Anti-beta Actin Mouse Monoclonal Antibody

E022330: Anti-His Tag Mouse Monoclonal Antibody-HRP